

Health =	1	Reactivity =	0
Flammability =	2	Personal Protection =	E

SECTION I - PRODUCT IDENTIFICATION

Trade Name: Kolor-Classic Sealer
 Synonyms: Acrylate Copolymer solution
 Manufacturer and/or Supplier: United Products Company
 Address: PO Box 493, Fremont, Nebraska 68026
 Manufacturer and Emergency Telephone: (402) 727-7525

SECTION II - HAZARDOUS INGREDIENTS

Description	%	CAS#	TLV	PEL	Vapor Pres.
Proprietary Resin	<27	Trade Secret	NA	NA	
Solvent Naphtha (Petroleum)*	<47	64742-95-6	NE	NE	
Solvent Naphtha Medium Aliphatic	<26	64742-88-7	100 ppm	NE	
* A complex combination of predominantly C8 to C10 hydrocarbons, exact composition will vary. Contains trimethylbenzene, 1,2,4-(Pseudocumene) approximately 18%, cas#95-63-6, which is subject to the reporting requirements of Section 313 of S.A.R.A. Title III					

SECTION III - PHYSICAL DATA

Boiling Point (F):	300-349	Specific Gravity (Water = 1):	0.886
Vapor Pressure (mmHg.):	Not Known	% Volatile by Volume (%):	80
Vapor Density (Air = 1):	4.3	Evaporation Rate:	0.1
Solubility in Water:	Negligible	Bulk Density:	7.36#/Gallon
Appearance/Odor:	Light colored liquid with mild petroleum odor.		

SECTION IV - FIRE & EXPLOSION HAZARD DATA

Flash Point: 111
 Flammable Limits - UEL (%): 7.0
 LEL (%): 1.0
 Extinguishing Media: Use foam, CO2, or dry chemical fighting apparatus
 Special Firefighting: Use self-contained breathing apparatus. Water may be unsuitable as an extinguishing media but helpful in keeping adjacent containers cool. Product will float and can be re-ignited on surface of water.
 Unusual Fire and Explosion Hazards: Moderately reactive.

SECTION V - HEALTH HAZARD DATA

Effects of Overexposure: Exposure to mists or spray may cause respiratory tract irritation. High concentrations may cause nausea, vomiting and possible central nervous system depression.
Skin: Prolonged and repeated contact may cause skin irritation.
Ingestion: Irritation of mucous membranes of the mouth, throat, esophagus and stomach.
Eyes: May be an eye irritant.

Emergency First Aid:

Skin: Wash thoroughly with soap and water.
Eyes: Flush thoroughly with water for 15 minutes. Consult physician if irritation persists.
Inhalation: Remove from exposure. If not breathing, give CPR. If breathing is difficult, give oxygen and consult physician.
Ingestion: Do not induce vomiting. Seek medical attention immediately.

SECTION VI - REACTIVITY DATA

Stability: Stable
Stability Conditions to Avoid: Avoid heat, sparks, flame and other sources of ignition.
Materials to Avoid: Avoid strong oxidizing agents, strong acids or selected amines
Hazardous Decomposition Products: Carbon monoxide and carbon dioxide if burned with insufficient air.
Hazardous Polymerization: Will not occur.

SECTION VII - SPILL OR LEAK PROCEDURES

Spill or Leak Procedures: Remove ignition sources. Provide ventilation. Absorb and dispose of in accordance with local applicable regulations.
Waste Disposal Methods: Dispose of in accordance with Federal, State and Local regulations.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Eye Protection: Goggles or face shield
Glove Requirements: Impermeable
Respiratory Protection: NIOSH approved cartridge respirator.
Ventilation: Local exhaust. Maintain below TLV/PEL.
Clothing: Rubber boots, arm sleeves and impermeable aprons when necessary to prevent skin contact.
Wash Requirements: Soap and water.

SECTION IX - HANDLING & STORAGE PRECAUTIONS

Storage: Store in manner to prevent contact with strong acids. Avoid contact with water to preserve product. Keep liquid and vapor away from heat.

Storage Temperature: Keep above freezing to protect product potential.

Other Precautions: Keep container closed when not in use.

SECTION X - SHIPPING INFORMATION

DOT Shipping Name: Combustible liquid N.O.S.
DOT Hazard Class: Combustible liquid
DOT Reportable Quantity: NA

SECTION XI - TECHNICAL CONTACT

Technical Contacts: Larry Reimnitz
Technical Services
United Products
PO Box 493
Fremont, Nebraska 68026

(402) 727-7525

Effective Date: #####

SECTION XII - ADDITIONAL INFORMATION

The information given and the recommendations made herein apply to our product(s) alone and not combined with other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.